

4140 Tubing

Please call for availability of additional sizes.

SIZE OD	&	WALL	ID	WEIGHT PER FT	DESCRIPTION	SURFACE CONDITION	SPECIFICATION
1.558	"	X	0.1740	1.210		DOM	A513
1.600	"	X	0.3680	0.864		HFSMT	A519
1.665	"	X	0.2900	1.085		DOM	A513
2	"	X	0.2188	1.563		CDSMT,HFSMT	A519
2	"	X	0.3125	1.375		HFSMT	A519
2	"	X	0.3750	1.250	AQ	HFSMT	A519 -AMS 6381
2	"	X	0.5000	1.000	AQ	HFSMT	A519 -AMS 6381
2 1/8	"	X	0.6250	0.875	Annealed	HFSMT	A519
2 1/4	"	X	0.3750	1.500	AQ	HFSMT	A519 -AMS 6381
2 1/4	"	X	0.5000	1.250	CQ	HFSMT	A519 -AMS 6381
2 3/8	"	X	0.2500	1.875	CQ	CDSMT	A519
2 1/2	"	X	0.3750	1.750	AQ	CDSMT	A519 -AMS 6381
2 1/2	"	X	0.5000	1.500	AQ	CDSMT	A519 -AMS 6381
2 1/2	"	X	0.6250	1.250	AQ	CDSMT - HFSMT	A519 -AMS 6381
2 1/2	"	X	0.7500	1.000	CQ	HFSMT	A519
2.594	"	X	0.2970	2.000		DOM	A513
2 5/8	"	X	0.2500	2.125	CQ	CDSMT	A519
2 5/8	"	X	0.3125	2.000	CQ	HFSMT	A519
2 5/8	"	X	0.3750	1.875	AQ	HFSMT	A519 -AMS 6381
2 5/8	"	X	0.5000	1.625	AQ	HFSMT	A519 -AMS 6381
2 3/4	"	X	0.3125	2.125	Annealed	HFSMT	A519
2 3/4	"	X	0.3750	2.000	AQ	HFSMT	A519 -AMS 6381
2 3/4	"	X	0.5000	1.750	AQ - CQ	HFSMT	A519 -AMS 6381
2 3/4	"	X	0.6250	1.500	AQ - CQ - Annealed	HFSMT	A519 -AMS 6381
2 3/4	"	X	0.7500	1.250	CQ	HFSMT	A519
2 7/8	"	X	0.3130	2.249	CQ	HFSMT	A519
2 7/8	"	X	0.3750	2.125	CQ	HFSMT	A519
2 7/8	"	X	0.5000	1.875		HFSMT	A519
2 7/8	"	X	0.6250	1.625	CQ	HFSMT	A519
3	"	X	0.1875	2.625		CDSMT	A519
3	"	X	0.3125	2.375		CDSMT	A519
3	"	X	0.3750	2.250	AQ	HFSMT	AMS 6381
3	"	X	0.5000	2.000	AQ - CQ	HFSMT	A519 -AMS 6381
3	"	X	0.6250	1.750	AQ	HFSMT	A519 -AMS 6381
3	"	X	0.7500	1.500	AQ - CQ	HFSMT	A519 -AMS 6381
3	"	X	1.0000	1.000	CQ	HFSMT	A519
3 1/4	"	X	0.2500	2.750		CDSMT	A519
3 1/4	"	X	0.3750	2.500	CQ	HFSMT	A519

4140 Tubing

Please call for availability of additional sizes.

SIZE OD	&	WALL	ID	WEIGHT PER FT	DESCRIPTION	SURFACE CONDITION	SPECIFICATION	
3 1/4	"	X	0.5000	2.250	14.685	AQ - CQ	HFSMT	A519 -AMS 6381
3 1/4	"	X	0.6250	2.000	17.522	AQ - CQ	HFSMT	A519 -AMS 6381
3 1/4	"	X	0.7500	1.750	20.025	AQ - CQ	HFSMT	A519 -AMS 6381
3 1/4	"	X	0.8750	1.500	22.194	CQ	HFSMT	A519
3 3/8	"	X	0.3125	2.750	10.221	CQ	HFSMT	A519
3 3/8	"	X	0.3750	2.625	12.015	CQ	HFSMT	A519
3 3/8	"	X	0.5000	2.375	15.353	CQ	HFSMT	A519
3 3/8	"	X	0.6250	2.125	18.356	CQ	HFSMT	A519
3.475	"	X	0.3750	2.725	12.416	CQ	HFSMT	A519
3.475	"	X	0.5000	2.475	15.887	CQ	HFSMT	A519
3 1/2	"	X	0.2500	3.000	8.678	CQ	CDSMT	A519
3 1/2	"	X	0.3750	2.750	12.516	AQ - CQ	CDSMT	A519 -AMS 6381
3 1/2	"	X	0.4063	2.688	13.423	CQ	CDSMT	A519
3 1/2	"	X	0.4375	2.625	14.310	CQ	CDSMT	A51
3 1/2	"	X	0.5000	2.500	16.020	AQ - CQ	CDSMT	A519 -AMS 6381
3 1/2	"	X	0.6250	2.250	19.191	AQ - CQ	HFSMT	A519 -AMS 6381
3 1/2	"	X	0.7500	2.000	22.028	AQ - CQ	HFSMT	A519 -AMS 6381
3 1/2	"	X	1.0000	1.500	26.700	AQ - CQ	HFSMT	A519 -AMS 6381
3 3/4	"	X	0.2500	3.250	9.345	CQ	CDSMT	A519
3 3/4	"	X	0.3125	3.125	11.473	CQ	CDSMT - HFSMT	A519
3 3/4	"	X	0.3750	3.000	13.517	AQ	HFSMT	A519 -AMS 6381
3 3/4	"	X	0.5000	2.750	17.355	AQ - CQ	HFSMT	A519 -AMS 6381
3 3/4	"	X	0.5625	2.625	19.149	CQ	CDSMT	A519
3 3/4	"	X	0.6250	2.500	20.859	AQ - CQ	HFSMT	A519 -AMS 6381
3 3/4	"	X	0.6875	2.375	22.486	CQ	HFSMT	A519
3 3/4	"	X	0.7500	2.250	24.030	AQ - CQ	HFSMT	A519 -AMS 6381
3 3/4	"	X	0.8750	2.000	26.867	CQ	HFSMT	A519
3 3/4	"	X	1.0000	1.750	29.370	CQ	HFSMT	A519
3.813	"	X	0.5630	2.687	19.542	CQ	HFSMT	A519
3.813	"	X	0.6880	2.437	22.962	CQ	HFSMT	A519
3 7/8	"	X	0.5000	2.875	18.023	CQ	HFSMT	A519
3 7/8	"	X	0.6250	2.625	21.694	CQ	HFSMT	A519
3.938	"	X	0.5000	2.938	18.359	CQ	HFSMT	A519
3.967	"	X	0.9920	1.983	31.519	CQ	HFSMT	A519
4	"	X	0.1875	3.625	7.635	CQ	CDSMT	A519
4	"	X	0.2500	3.500	10.013	AQ - CQ	CDSMT	A519 -AMS 6381
4	"	X	0.3125	3.375	12.307	CQ	CDSMT	A519
4	"	X	0.3750	3.250	14.518	AQ	HFSMT	A519 -AMS 6381

4140 Tubing

Please call for availability of additional sizes.

SIZE OD	&	WALL	ID	WEIGHT PER FT	DESCRIPTION	SURFACE CONDITION	SPECIFICATION	
4	"	X	0.4375	3.125	16.646	AQ - CQ	HFSMT	A519 -AMS 6381
4	"	X	0.5000	3.000	18.690	AQ - CQ	HFSMT	A519 -AMS 6381
4	"	X	0.6250	2.750	22.528	AQ - CQ	HFSMT	A519 -AMS 6381
4	"	X	0.7500	2.500	26.033	AQ - CQ	HFSMT	A519 -AMS 6381
4	"	X	0.8750	2.250	29.203	CQ	HFSMT	A519
4	"	X	0.9375	2.125	30.663	CQ	HFSMT	A519
4	"	X	1.0000	2.000	32.040	AQ - CQ - Q&T	HFSMT	A519 -AMS 6381
4	"	X	1.1250	1.750	34.543	CQ - Q&T	HFSMT	A519
4	"	X	1.2500	1.500	36.713	AQ - CQ	HFSMT	A519 -AMS 6381
4	"	X	1.3750	1.250	38.548	AQ - CQ	HFSMT	A519 -AMS 6381
4 1/8	"	X	0.5000	3.125	19.358	CQ	HFSMT	A519
4 1/8	"	X	0.5625	3.000	21.402	CQ	HFSMT	A519
4 1/8	"	X	0.7500	2.625	27.034	CQ	HFSMT	A519
4 1/8	"	X	0.8750	2.375	30.371	CQ	HFSMT	A519
4 1/4	"	X	0.2500	3.750	10.680	CQ	CDSMT	A519
4 1/4	"	X	0.3750	3.500	15.519	AQ - CQ	CDSMT - HFSMT	A519 -AMS 6381
4 1/4	"	X	0.5000	3.250	20.025	AQ - CQ	HFSMT	A519 -AMS 6381
4 1/4	"	X	0.6250	3.000	24.197	AQ - CQ	HFSMT	A519 -AMS 6381
4 1/4	"	X	0.7500	2.750	28.035	AQ - CQ	HFSMT	A519 -AMS 6381
4 1/4	"	X	0.8125	2.625	29.829	CQ	HFSMT	A519
4 1/4	"	X	0.8750	2.500	31.539	CQ	HFSMT	A519
4 1/4	"	X	1.0000	2.250	34.710	AQ - CQ	HFSMT	A519 -AMS 6381
4 1/4	"	X	1.1250	2.000	37.547	AQ - CQ	HFSMT	A519 -AMS 6381
4 1/4	"	X	1.2500	1.750	40.050	CQ	HFSMT	A519
4.4375	"	X	0.3130	3.812	13.788	CQ	HFSMT	A519
4.4375	"	X	0.5000	3.438	21.026	CQ	HFSMT	A519
4 1/2	"	X	0.3750	3.750	16.521	AQ - CQ	HFSMT	A519 -AMS 6381
4 1/2	"	X	0.4375	3.625	18.982	CQ	HFSMT	A519
4 1/2	"	X	0.5000	3.500	21.360	AQ - CQ	HFSMT	A519 -AMS 6381
4 1/2	"	X	0.6250	3.250	25.866	AQ - CQ	HFSMT	A519 -AMS 6381
4 1/2	"	X	0.7500	3.000	30.038	AQ - CQ	HFSMT	A519 -AMS 6381
4 1/2	"	X	0.8750	2.750	33.876	CQ	HFSMT	A519
4 1/2	"	X	1.0000	2.500	37.380	AQ - CQ	HFSMT	A519 -AMS 6381
4 1/2	"	X	1.1250	2.250	40.551	CQ	HFSMT	A519
4 1/2	"	X	1.2500	2.000	43.388	AQ - CQ	HFSMT	A519 -AMS 6381
4 1/2	"	X	1.5000	1.500	48.060	AQ - CQ	HFSMT	A519 -AMS 6381
4 5/8	"	X	0.4375	3.750	19.566	CQ	HFSMT	A519
4 3/4	"	X	0.3750	4.000	17.522	CQ	CDSMT - HFSMT	A519

4140 Tubing

Please call for availability of additional sizes.

SIZE OD	&	WALL	ID	WEIGHT PER FT	DESCRIPTION	SURFACE CONDITION	SPECIFICATION
4 3/4	"	X	0.5000	3.750	22.695	AQ - CQ	HFSMT A519 -AMS 6381
4 3/4	"	X	0.6250	3.500	27.534	AQ - CQ	HFSMT A519 -AMS 6381
4 3/4	"	X	0.7500	3.250	32.040	AQ - CQ	HFSMT A519 -AMS 6381
4 3/4	"	X	0.8750	3.000	36.212	CQ	HFSMT A519
4 3/4	"	X	1.0000	2.750	40.050	AQ - CQ	HFSMT A519 -AMS 6381
4 3/4	"	X	1.1250	2.500	43.554	CQ	HFSMT A519
4 3/4	"	X	1.2500	2.250	46.725	CQ	HFSMT A519
4 3/4	"	X	1.3750	2.000	49.562	CQ	HFSMT A519
4 3/4	"	X	1.5000	1.750	52.065	AQ - CQ	HFSMT A519 -AMS 6381
4 7/8	"	X	0.5000	3.875	23.363	CQ	HFSMT A519
4 7/8	"	X	0.7500	3.375	33.041	CQ	HFSMT A519
4.938	"	X	1.0000	2.938	42.058	CQ	HFSMT A519
5	"	X	0.3750	4.250	18.523	CQ	HFSMT A519
5	"	X	0.5000	4.000	24.030	AQ - CQ	HFSMT A519 -AMS 6381
5	"	X	0.6250	3.750	29.203	AQ - CQ	HFSMT A519 -AMS 6381
5	"	X	0.7500	3.500	34.043	AQ - CQ	HFSMT A519 -AMS 6381
5	"	X	0.8750	3.250	38.548	CQ	HFSMT A519
5	"	X	1.0000	3.000	42.720	AQ - CQ	HFSMT A519 -AMS 6381
5	"	X	1.1250	2.750	46.558	CQ	HFSMT A519 -AMS 6381
5	"	X	1.2500	2.500	50.063	CQ	HFSMT A519 -AMS 6381
5	"	X	1.5000	2.000	56.070	CQ	HFSMT A519 -AMS 6381
5 1/8	"	X	0.7500	3.625	35.044	CQ	HFSMT A519
5 1/8	"	X	1.0000	3.125	44.055	CQ	HFSMT A519
5 1/4	"	X	0.5000	4.250	25.365	AQ - CQ	HFSMT A519 -AMS 6381
5 1/4	"	X	0.6250	4.000	30.872	AQ - CQ	HFSMT A519 -AMS 6381
5 1/4	"	X	0.7500	3.750	36.045	AQ - CQ	HFSMT A519 -AMS 6381
5 1/4	"	X	0.8750	3.500	40.884	CQ	HFSMT A519
5 1/4	"	X	1.0000	3.250	45.390	AQ - CQ	HFSMT A519 -AMS 6381
5 1/4	"	X	1.1250	3.000	49.562	CQ	HFSMT A519
5 1/4	"	X	1.2500	2.750	53.400	AQ - CQ	HFSMT A519 -AMS 6381
5 1/4	"	X	1.3750	2.500	56.904	CQ	HFSMT A519
5 1/4	"	X	1.5000	2.250	60.075	AQ - CQ	HFSMT A519 -AMS 6381
5 3/8	"	X	0.3750	4.625	20.025	CQ	HFSMT A519
5 3/8	"	X	1.7500	1.875	67.751	CQ	HFSMT A519
5 1/2	"	X	0.4375	4.625	23.655	CQ	HFSMT A519
5 1/2	"	X	0.5000	4.500	26.700	AQ - CQ	HFSMT A519 -AMS 6381
5 1/2	"	X	0.6250	4.250	32.541	AQ - CQ	HFSMT A519 -AMS 6381
5 1/2	"	X	0.7500	4.000	38.048	AQ - CQ	HFSMT A519 -AMS 6381

4140 Tubing

Please call for availability of additional sizes.

SIZE OD	&	WALL	ID	WEIGHT PER FT	DESCRIPTION	SURFACE CONDITION	SPECIFICATION
5 1/2	"	X	0.8750	3.750	43.221	CQ	HFSMT A519
5 1/2	"	X	1.0000	3.500	48.060	CQ	HFSMT A519
5 1/2	"	X	1.1250	3.250	52.566	CQ	HFSMT A519 -AMS 6381
5 1/2	"	X	1.2500	3.000	56.738	CQ	HFSMT
5 1/2	"	X	1.3750	2.750	60.576	AQ - CQ	HFSMT A519 -AMS 6381
5 1/2	"	X	1.5000	2.500	64.080	AQ - CQ	HFSMT A519 -AMS 6381
5.5625	"	X	0.5000	4.563	27.034	CQ	HFSMT A519
5.5625	"	X	0.7500	4.063	38.548	CQ	HFSMT A519
5 5/8	"	X	0.8750	3.875	44.389	CQ	HFSMT A519
5 3/4	"	X	0.5000	4.750	28.035	AQ - CQ	HFSMT A519 -AMS 6381
5 3/4	"	X	0.6250	4.500	34.209	AQ - CQ	HFSMT A519 -AMS 6381
5 3/4	"	X	0.7500	4.250	40.050	AQ - CQ	HFSMT A519 -AMS 6381
5 3/4	"	X	0.8750	4.000	45.557	CQ	HFSMT A519
5 3/4	"	X	1.0000	3.750	50.730	AQ - CQ	HFSMT A519 -AMS 6381
5 3/4	"	X	1.1250	3.500	55.569	CQ	HFSMT A519
5 3/4	"	X	1.2500	3.250	60.075	AQ - CQ	HFSMT A519 -AMS 6381
5 3/4	"	X	1.3750	3.000	64.247	CQ	HFSMT A519
5 3/4	"	X	1.5000	2.750	68.085	AQ - CQ	HFSMT A519 -AMS 6381
6	"	X	0.5000	5.000	29.370	AQ - CQ	HFSMT A519 -AMS 6381
6	"	X	0.6250	4.750	35.878	CQ	HFSMT A519
6	"	X	0.7500	4.500	42.053	AQ - CQ	HFSMT A519 -AMS 6381
6	"	X	0.8750	4.250	47.893	CQ	HFSMT A519
6	"	X	1.0000	4.000	53.400	AQ - CQ	HFSMT A519 -AMS 6381
6	"	X	1.1250	3.750	58.573	CQ	HFSMT A519
6	"	X	1.2500	3.500	63.413	AQ - CQ	HFSMT A519 -AMS 6381
6	"	X	1.5000	3.000	72.090	AQ - CQ	HFSMT A519 -AMS 6381
6	"	X	1.7500	2.500	79.433	CQ	HFSMT A519
6 1/4	"	X	0.5000	5.250	30.705	AQ - CQ	HFSMT A519 -AMS 6381
6 1/4	"	X	0.6250	5.000	37.547	AQ - CQ	HFSMT A519 -AMS 6381
6 1/4	"	X	0.7500	4.750	44.055	AQ - CQ	HFSMT A519 -AMS 6381
6 1/4	"	X	0.8750	4.500	50.229	CQ	HFSMT A519
6 1/4	"	X	1.0000	4.250	56.070	CQ	HFSMT A519
6 1/4	"	X	1.1250	4.000	61.577	AQ - CQ	HFSMT A519 -AMS 6381
6 1/4	"	X	1.2500	3.750	66.750	AQ - CQ	HFSMT A519 -AMS 6381
6 1/4	"	X	1.3750	3.500	71.589	CQ	HFSMT A519
6 1/4	"	X	1.5000	3.250	76.095	AQ - CQ	HFSMT A519 -AMS 6381
6 1/4	"	X	1.6250	3.000	80.267	CQ	HFSMT A519
6 1/4	"	X	1.7500	2.750	84.105	CQ	HFSMT A519

4140 Tubing

Please call for availability of additional sizes.

SIZE OD	&	WALL	ID	WEIGHT PER FT	DESCRIPTION	SURFACE CONDITION	SPECIFICATION
6 1/2	"	X	0.5000	5.500	32.040	AQ - CQ	HFSMT A519 -AMS 6381
6 1/2	"	X	0.7500	5.000	46.058	AQ - CQ	HFSMT A519 -AMS 6381
6 1/2	"	X	0.8750	4.750	52.566	CQ	HFSMT A519
6 1/2	"	X	1.0000	4.500	58.740	CQ	HFSMT A519
6 1/2	"	X	1.1250	4.250	64.581	CQ	HFSMT A519
6 1/2	"	X	1.2500	4.000	70.088	CQ	HFSMT A519
6 1/2	"	X	1.3750	3.750	75.261	CQ	HFSMT A519
6 1/2	"	X	1.5000	3.500	80.100	CQ	HFSMT A519
6 1/2	"	X	1.7500	3.000	88.778	CQ	HFSMT A519
6 1/2	"	X	2.0000	2.500	96.120	CQ	HFSMT A519
6 5/8	"	X	1.0000	4.625	60.075	CQ	HFSMT A519
6 3/4	"	X	0.6250	5.500	40.884	CQ	HFSMT A519
6 3/4	"	X	0.7500	5.250	48.060	CQ	HFSMT A519
6 3/4	"	X	1.0000	4.750	61.410	AQ - CQ	HFSMT A519 -AMS 6381
6 3/4	"	X	1.2500	4.250	73.425	AQ - CQ	HFSMT A519 -AMS 6381
6 3/4	"	X	1.5000	3.750	84.105	AQ - CQ	HFSMT A519 -AMS 6381
6 7/8	"	X	1.0000	4.875	62.745	CQ	HFSMT A519
7	"	X	0.5000	6.000	34.710	AQ - CQ	HFSMT A519 -AMS 6381
7	"	X	0.7500	5.500	50.063	AQ - CQ	HFSMT A519 -AMS 6381
7	"	X	1.0000	5.000	64.080	AQ - CQ	HFSMT A519 -AMS 6381
7	"	X	1.1250	4.750	70.588	AQ - CQ	HFSMT A519 -AMS 6381
7	"	X	1.2500	4.500	76.763	AQ - CQ	HFSMT A519 -AMS 6381
7	"	X	1.5000	4.000	88.110	AQ - CQ	HFSMT A519 -AMS 6381
7	"	X	1.7500	3.500	98.123	AQ - CQ	HFSMT A519 -AMS 6381
7	"	X	2.0000	3.000	106.800	AQ - CQ	HFSMT A519 -AMS 6381
7 1/8	"	X	0.6250	5.875	43.388	CQ	HFSMT A519
7 1/8	"	X	0.8750	5.375	58.406	CQ	HFSMT A519
7 1/8	"	X	1.0000	5.125	65.415	CQ	HFSMT A519
7 1/4	"	X	0.6250	6.000	44.222	CQ	HFSMT A519
7 1/4	"	X	0.7500	5.750	52.065	CQ	HFSMT A519
7 1/4	"	X	1.0000	5.250	66.750	AQ - CQ	HFSMT A519 -AMS 6381
7 1/4	"	X	1.1250	5.000	73.592	AQ - CQ	HFSMT A519 -AMS 6381
7 1/4	"	X	1.2500	4.750	80.100	AQ - CQ	HFSMT A519 -AMS 6381
7 1/4	"	X	1.5000	4.250	92.115	AQ - CQ	HFSMT A519 -AMS 6381
7 3/8	"	X	0.3750	6.625	28.035	CQ	HFSMT A519
7 1/2	"	X	0.7500	6.000	54.068	AQ - CQ	HFSMT A519 -AMS 6381
7 1/2	"	X	1.0000	5.500	69.420	AQ - CQ	HFSMT A519 -AMS 6381
7 1/2	"	X	1.1250	5.250	76.596	AQ - CQ	HFSMT A519 -AMS 6381

4140 Tubing

Please call for availability of additional sizes.

SIZE OD	&	WALL	ID	WEIGHT PER FT	DESCRIPTION	SURFACE CONDITION	SPECIFICATION
7 1/2	"	X	1.2500	5.000	83.438	AQ - CQ	HFSMT A519 -AMS 6381
7 1/2	"	X	1.5000	4.500	96.120	AQ - CQ	HFSMT A519 -AMS 6381
7 1/2	"	X	1.7500	4.000	107.468	AQ - CQ	HFSMT A519 -AMS 6381
7 1/2	"	X	2.0000	3.500	117.480	AQ - CQ	HFSMT A519 -AMS 6381
7 1/2	"	X	2.3750	2.750	129.996	CQ	HFSMT A519
7 5/8	"	X	0.6250	6.375	46.725	CQ	HFSMT A519
7 5/8	"	X	0.7500	6.125	55.069	CQ	HFSMT A519
7 3/4	"	X	0.7500	6.250	56.070	AQ - CQ	HFSMT A519 -AMS 6381
7 3/4	"	X	0.8750	6.000	64.247	CQ	HFSMT A519
7 3/4	"	X	1.0000	5.750	72.090	AQ - CQ	HFSMT A519 -AMS 6381
7 3/4	"	X	1.1250	5.500	79.599	AQ - CQ	HFSMT A519 -AMS 6381
7 3/4	"	X	1.2500	5.250	86.775	AQ - CQ	HFSMT A519 -AMS 6381
7 3/4	"	X	1.5000	4.750	100.125	AQ - CQ	HFSMT A519 -AMS 6381
7 3/4	"	X	1.6250	4.500	106.299	AQ - CQ	HFSMT A519 -AMS 6381
8	"	X	0.5000	7.000	40.050	AQ - CQ	HFSMT A519 -AMS 6381
8	"	X	0.7500	6.500	58.073	AQ - CQ	HFSMT A519 -AMS 6381
8	"	X	0.8750	6.250	66.583	AQ - CQ	HFSMT A519 -AMS 6381
8	"	X	1.0000	6.000	74.760	AQ - CQ	HFSMT A519 -AMS 6381
8	"	X	1.1250	5.750	82.603	CQ	HFSMT A519
8	"	X	1.2500	5.500	90.113	AQ - CQ	HFSMT A519 -AMS 6381
8	"	X	1.5000	5.000	104.130	AQ - CQ	HFSMT A519 -AMS 6381
8	"	X	1.7500	4.500	116.813	AQ - CQ	HFSMT A519 -AMS 6381
8	"	X	2.0000	4.000	128.160	AQ - CQ	HFSMT A519 -AMS 6381
8.065	"	X	0.7500	6.565	58.593	AQ - CQ	HFSMT A519 -AMS 6381
8 1/8	"	X	0.7500	6.625	59.074	CQ	HFSMT A519
8 1/8	"	X	1.0000	6.125	76.095	AQ - CQ	HFSMT A519 -AMS 6381
8 1/4	"	X	1.0000	6.250	77.430	CQ	HFSMT A519
8 1/4	"	X	1.1250	6.000	85.607	CQ	HFSMT A519
8 1/4	"	X	1.2500	5.750	93.450	CQ	HFSMT A519
8 1/4	"	X	1.5000	5.250	108.135	CQ	HFSMT A519
8 1/2	"	X	0.7500	7.000	62.078	CQ	HFSMT A519
8 1/2	"	X	0.8750	6.750	71.256	CQ	HFSMT A519
8 1/2	"	X	1.0000	6.500	80.100	CQ	HFSMT A519
8 1/2	"	X	1.2500	6.000	96.788	CQ	HFSMT A519
8 1/2	"	X	1.5000	5.500	112.140	CQ	HFSMT A519
8 1/2	"	X	1.7500	5.000	126.158	CQ	HFSMT A519
8 1/2	"	X	2.0000	4.500	138.840	CQ	HFSMT A519
8 5/8	"	X	1.0000	6.625	81.435	CQ	HFSMT A519

4140 Tubing

Please call for availability of additional sizes.

SIZE OD	&	WALL	ID	WEIGHT PER FT	DESCRIPTION	SURFACE CONDITION	SPECIFICATION
8 5/8	"	X	1.1250	6.375	90.113	CQ	HFSMT A519
8 3/4	"	X	0.7500	7.250	64.080	CQ	HFSMT A519
8 3/4	"	X	1.0000	6.750	82.770	CQ	HFSMT A519
8 3/4	"	X	1.2500	6.250	100.125	CQ	HFSMT A519
8 3/4	"	X	1.5000	5.750	116.145	CQ	HFSMT A519
9	"	X	0.7500	7.500	66.083	CQ	HFSMT A519
9	"	X	0.8750	7.250	75.928	CQ	HFSMT A519
9	"	X	1.0000	7.000	85.440	AQ - CQ	HFSMT A519 -AMS 6381
9	"	X	1.2500	6.500	103.463	AQ - CQ	HFSMT A519 -AMS 6381
9	"	X	1.5000	6.000	120.150	CQ	HFSMT A519
9	"	X	1.7500	5.500	135.503	CQ	HFSMT A519
9	"	X	2.0000	5.000	149.520	CQ	HFSMT A519
9	"	X	2.2500	4.500	162.203	CQ	HFSMT A519
9	"	X	2.5000	4.000	173.550	CQ	HFSMT A519
9	"	X	3.0000	3.000	192.240	CQ	HFSMT A519
9 1/4	"	X	0.7500	7.750	68.085	CQ	HFSMT A519
9 1/4	"	X	1.0000	7.250	88.110	CQ	HFSMT A519
9 1/4	"	X	1.2500	6.750	106.800	CQ	HFSMT A519
9 1/4	"	X	1.5000	6.250	124.155	CQ	HFSMT A519
9 1/2	"	X	1.0000	7.500	90.780	CQ	HFSMT A519
9 1/2	"	X	1.2500	7.000	110.138	CQ	HFSMT A519
9 1/2	"	X	1.5000	6.500	128.160	CQ	HFSMT A519
9 1/2	"	X	1.7500	6.000	144.848	CQ	HFSMT A519
9 1/2	"	X	2.0000	5.500	160.200	CQ	HFSMT A519
9 1/2	"	X	3.0000	3.500	208.260	CQ	HFSMT A519
9 5/8	"	X	0.7500	8.125	71.089	CQ	HFSMT A519
9 5/8	"	X	0.8750	7.875	81.769	CQ	HFSMT A519
9 11/16	"	X	0.8750	7.938	82.357	CQ	HFSMT A519
9 11/16	"	X	1.6880	6.312	144.223	CQ	HFSMT A519
9 3/4	"	X	1.0000	7.750	93.450	CQ	HFSMT A519
10	"	X	0.7500	8.500	74.093	CQ	HFSMT A519
10	"	X	1.0000	8.000	96.120	CQ	HFSMT A519
10	"	X	1.2500	7.500	116.813	CQ	HFSMT A519
10	"	X	1.5000	7.000	136.170	CQ	HFSMT A519
10	"	X	1.7500	6.500	154.193	CQ	HFSMT A519
10	"	X	2.0000	6.000	170.880	CQ	HFSMT A519
10	"	X	2.5000	5.000	200.250	CQ	HFSMT A519
10	"	X	3.0000	4.000	224.280	CQ	HFSMT A519

4140 Tubing

Please call for availability of additional sizes.

SIZE OD	&	WALL	ID	WEIGHT PER FT	DESCRIPTION	SURFACE CONDITION	SPECIFICATION	
10 1/4	"	X	0.7500	8.750	76.095	CQ	HFSMT	A519
10 1/4	"	X	1.0000	8.250	98.790	CQ	HFSMT	A519
10 1/4	"	X	1.5000	7.250	140.175	CQ	HFSMT	A519
10 1/4	"	X	2.0000	6.250	176.220	CQ	HFSMT	A519
10 3/8	"	X	0.8750	8.625	88.778	CQ	HFSMT	A519
10 1/2	"	X	0.5000	9.500	53.400	CQ	HFSMT	A519
10 1/2	"	X	1.2500	8.000	123.488	CQ	HFSMT	A519
10 1/2	"	X	1.5000	7.500	144.180	CQ	HFSMT	A519
10 1/2	"	X	1.7500	7.000	163.538	CQ	HFSMT	A519
10 1/2	"	X	2.0000	6.500	181.560	CQ	HFSMT	A519
10 1/2	"	X	2.2500	6.000	198.248	CQ	HFSMT	A519
10 1/2	"	X	2.5000	5.500	213.600	CQ	HFSMT	A519
10 3/4	"	X	1.0000	8.750	104.130	CQ	HFSMT	A519
10 3/4	"	X	1.2500	8.250	126.825	CQ	HFSMT	A519
10 3/4	"	X	1.5000	7.750	148.185	CQ	HFSMT	A519
10 3/4	"	X	2.0000	6.750	186.900	CQ	HFSMT	A519
11	"	X	0.7500	9.500	82.103	CQ	HFSMT	A519
11	"	X	1.0000	9.000	106.800	CQ	HFSMT	A519
11	"	X	1.1250	8.750	118.648	CQ	HFSMT	A519
11	"	X	1.2500	8.500	130.163	CQ	HFSMT	A519
11	"	X	1.5000	8.000	152.190	CQ	HFSMT	A519
11	"	X	1.7500	7.500	172.883	CQ	HFSMT	A519
11	"	X	2.0000	7.000	192.240	CQ	HFSMT	A519
11	"	X	2.2500	6.500	210.263	CQ	HFSMT	A519
11	"	X	2.5000	6.000	226.950	CQ	HFSMT	A519
11	"	X	3.0000	5.000	256.320	CQ	HFSMT	A519
11 1/8	"	X	0.7500	9.625	83.104	CQ	HFSMT	A519
11 1/4	"	X	1.0000	9.250	109.470	CQ	HFSMT	A519
11 1/2	"	X	1.0000	9.500	112.140	CQ	HFSMT	A519
11 1/2	"	X	1.2500	9.000	136.838	CQ	HFSMT	A519
11 1/2	"	X	1.5000	8.500	160.200	CQ	HFSMT	A519
11 1/2	"	X	1.7500	8.000	182.228	CQ	HFSMT	A519
11 1/2	"	X	2.0000	7.500	202.920	CQ	HFSMT	A519
11 1/2	"	X	2.5000	6.500	240.300	CQ	HFSMT	A519
11 3/4	"	X	0.7500	10.250	88.110	CQ	HFSMT	A519
11 3/4	"	X	1.0000	9.750	114.810	CQ	HFSMT	A519
11 3/4	"	X	1.5000	8.750	164.205	CQ	HFSMT	A519
12	"	X	0.7500	10.500	90.113	CQ	HFSMT	A519

4140 Tubing

Please call for availability of additional sizes.

SIZE OD	&	WALL	ID	WEIGHT PER FT	DESCRIPTION	SURFACE CONDITION	SPECIFICATION
12	"	X	1.0000	10.000	117.480	CQ	HFSMT A519
12	"	X	1.2500	9.500	143.513	CQ	HFSMT A519
12	"	X	1.5000	9.000	168.210	CQ	HFSMT A519
12	"	X	1.7500	8.500	191.573	CQ	HFSMT A519
12	"	X	2.0000	8.000	213.600	CQ	HFSMT A519
12	"	X	2.5000	7.000	253.650	CQ	HFSMT A519
12	"	X	3.0000	6.000	288.360	CQ	HFSMT A519
12 1/2	"	X	1.0000	10.500	122.820	CQ	HFSMT A519
12 1/2	"	X	1.2500	10.000	150.188	CQ	HFSMT A519
12 1/2	"	X	1.5000	9.500	176.220	CQ	HFSMT A519
12 1/2	"	X	1.7500	9.000	200.918	CQ	HFSMT A519
12 1/2	"	X	2.0000	8.500	224.280	CQ	HFSMT A519
12 1/2	"	X	2.5000	7.500	267.000	CQ	HFSMT A519
12 3/4	"	X	1.0000	10.750	125.490	CQ	HFSMT A519
12 3/4	"	X	1.2500	10.250	153.525	CQ	HFSMT A519
12 3/4	"	X	1.5000	9.750	180.225	CQ	HFSMT A519
12 3/4	"	X	2.0000	8.750	229.620	CQ	HFSMT A519
12 3/4	"	X	2.5000	7.750	273.675	CQ	HFSMT A519
13	"	X	1.0000	11.000	128.160	CQ	HFSMT A519
13	"	X	1.2500	10.500	156.863	CQ	HFSMT A519
13	"	X	1.5000	10.000	184.230	CQ	HFSMT A519
13	"	X	1.7500	9.500	210.263	CQ	HFSMT A519
13	"	X	2.0000	9.000	234.960	CQ	HFSMT A519
13	"	X	2.5000	8.000	280.350	CQ	HFSMT A519
13	"	X	3.0000	7.000	320.400	CQ	HFSMT A519
13 3/8	"	X	1.0000	11.375	132.165	CQ	HFSMT A519
13 3/8	"	X	2.0000	9.375	242.970	CQ	HFSMT A519
13 3/8	"	X	3.0000	7.375	332.415	CQ	HFSMT A519
14	"	X	0.7500	12.500	106.133	CQ	HFSMT A519
14	"	X	1.0000	12.000	138.840	CQ	HFSMT A519
14	"	X	1.2500	11.500	170.213	CQ	HFSMT A519
14	"	X	1.5000	11.000	200.250	CQ	HFSMT A519
14	"	X	1.7500	10.500	228.953	CQ	HFSMT A519
14	"	X	2.0000	10.000	256.320	CQ	HFSMT A519
14	"	X	2.5000	9.000	307.050	CQ	HFSMT A519
14	"	X	3.0000	8.000	352.440	CQ	HFSMT A519
14 3/8	"	X	1.0000	12.375	142.845	CQ	HFSMT A519
14 3/8	"	X	1.2500	11.875	175.219	CQ	HFSMT A519

4140 Tubing

Please call for availability of additional sizes.

SIZE OD	&	WALL	ID	WEIGHT PER FT	DESCRIPTION	SURFACE CONDITION	SPECIFICATION	
14 3/8	"	X	1.5000	11.375	206.258	CQ	HFSMT	A519
14 3/8	"	X	2.0000	10.375	264.330	CQ	HFSMT	A519
14 3/8	"	X	2.5000	9.375	317.063	CQ	HFSMT	A519
14 3/8	"	X	3.0000	8.375	364.455	CQ	HFSMT	A519
14 1/2	"	X	1.2500	12.000	176.888	CQ	HFSMT	A519
14 1/2	"	X	1.5000	11.500	208.260	CQ	HFSMT	A519
14 1/2	"	X	2.0000	10.500	267.000	CQ	HFSMT	A519
14 1/2	"	X	2.5000	9.500	320.400	CQ	HFSMT	A519
14 3/4	"	X	0.8125	13.125	120.943	CQ	HFSMT	A519
15	"	X	1.0000	13.000	149.520	CQ	HFSMT	A519
15	"	X	1.2500	12.500	183.563	CQ	HFSMT	A519
15	"	X	1.5000	12.000	216.270	CQ	HFSMT	A519
15	"	X	1.7500	11.500	247.643	CQ	HFSMT	A519
15	"	X	2.0000	11.000	277.680	CQ	HFSMT	A519
15	"	X	2.5000	10.000	333.750	CQ	HFSMT	A519
15	"	X	3.0000	9.000	384.480	CQ	HFSMT	A519
15	"	X	4.0000	7.000	469.920	Hollow Bar	HBT	A322
15 1/2	"	X	1.0000	13.500	154.860	CQ	HFSMT	A519
15 1/2	"	X	1.2500	13.000	190.238	CQ	HFSMT	A519
15 1/2	"	X	1.5000	12.500	224.280	CQ	HFSMT	A519
15 1/2	"	X	2.0000	11.500	288.360	CQ	HFSMT	A519
15 1/2	"	X	2.5000	10.500	347.100	CQ	HFSMT	A519
16	"	X	1.0000	14.000	160.200	CQ	HFSMT	A519
16	"	X	1.2500	13.500	196.913	CQ	HFSMT	A519
16	"	X	1.5000	13.000	232.290	CQ	HFSMT	A519
16	"	X	1.7500	12.500	266.333	CQ	HFSMT	A519
16	"	X	2.0000	12.000	299.040	CQ	HFSMT	A519
16	"	X	2.2500	11.500	330.413	CQ	HFSMT	A519
16	"	X	2.5000	11.000	360.450	CQ	HFSMT	A519
16	"	X	3.0000	10.000	416.520	CQ	HFSMT	A519